



4-Tec® Drift Ford® Mustang® (Model 105237-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5105A	Ball bearings, black rubber sealed (6x10x3mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)

Body & Accessories

10516	Body mount, rear/ 3x8mm FCS (1) (for clipless body mounting) (fits #10511 body)
10511	Body, Ford Mustang (clear, trimmed, requires painting)/ decal sheet (includes side mirrors, spoiler, grilles, vents, hardware, & clipless mounting)
10511-BLK	Body, Ford Mustang, complete (black) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
10511-BLUE	Body, Ford Mustang, complete (blue) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
10511-CPR	Body, Ford Mustang, complete (copper) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
10511-GRN	Body, Ford Mustang, complete (green) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
10511-RED	Body, Ford Mustang, complete (red) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
10511-WHT	Body, Ford Mustang, complete (white) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
10513	Diffuser, rear/ retainer/ body supports (left & right)/ 3x10mm BCS (3)/ 3x6mm BCS (4) (fits #10511 body)
10514	Hood vents (left & right)/ front grille/ 3x10mm BCS (6) (fits #10511 body)
10517	Latch, body mount, front (for clipless body mounting) (fits #10511 body)
10512	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/ 2.5x10 BCS (5) (fits #10511 body)

Brake Components

8367	Brake calipers (red), front (2)/ rear (2)
10556	Wheel hubs, hex, wide (disc brake rotors) (4)

Chassis & Attachments

8327-BLUE	Battery hold-down, 6061-T6 aluminum (blue-anodized)
8327-GRAY	Battery hold-down, 6061-T6 aluminum (gray-anodized)
8327-GRN	Battery hold-down, 6061-T6 aluminum (green-anodized)
8327-ORNG	Battery hold-down, 6061-T6 aluminum (orange-anodized)
8327-RED	Battery hold-down, 6061-T6 aluminum (red-anodized)
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
9314	Body mount, rear (for clipless body mounting)
10518	Body mounts, front & rear/ body mount posts/ body mount sliders
8324	Box, receiver (sealed)(steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
8330	Bulkhead, front
10581	Bulkhead, front (upper) (2WD)
8329	Bulkhead, rear
10536	Bumper, front (1 each, upper, lower, & foam)
8322	Chassis
8321	Chassis brace (front)
8321-BLUE	Chassis brace, front, 6061-T6 aluminum (blue-anodized)
8321-GRAY	Chassis brace, front, 6061-T6 aluminum (gray-anodized)
8321-GRN	Chassis brace, front, 6061-T6 aluminum (green-anodized)
8321-ORNG	Chassis brace, front, 6061-T6 aluminum (orange-anodized)
8321-RED	Chassis brace, front, 6061-T6 aluminum (red-anodized)
8323	Gear cover (rear chassis brace)
8380	Housing, differential (rear)
8390	Plate, motor
10538	Shock tower, front & rear

10538-BLUE	Shock tower, front, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)
10538-GRAY	Shock tower, front, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)
10538-GRN	Shock tower, front, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)
10538-ORNG	Shock tower, front, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)
10538-RED	Shock tower, front, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2)
10539-BLUE	Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-GRAY	Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-GRN	Shock tower, rear, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-ORNG	Shock tower, rear, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-RED	Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10520	Splitter, front

Differential Components

5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)
8353	Drive cups, inner (2)/ screw pins (2)
8379	Housing, spool / spool shaft/ bushing
10579	Ring gear, differential/ pinion gear, differential

Driveline Components

10554	Axles (front) (2)
8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)
8353	Drive cups, inner (2)/ screw pins (2)
8351	Driveshaft, rear (2)
8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
10556	Wheel hubs, hex, wide (disc brake rotors) (4)

Front Suspension & Steering

10554	Axles (front) (2)
8330	Bulkhead, front
10581	Bulkhead, front (upper) (2WD)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
10538	Shock tower, front & rear
10538-BLUE	Shock tower, front, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)
10538-GRAY	Shock tower, front, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)
10538-GRN	Shock tower, front, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)
10538-ORNG	Shock tower, front, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)
10538-RED	Shock tower, front, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2)
10543-BLUE	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)

10543-GRAY	Steering bellcranks, drag link (gray-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543-GRN	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543-ORNG	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543-RED	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543	Steering bellcranks/ hardware
10537-BLK	Steering blocks (left & right)
10537-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
10537-GRAY	Steering blocks, 6061-T6 aluminum (gray-anodized), left & right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
10537-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
10537-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
10537-RED	Steering blocks, 6061-T6 aluminum (red-anodized), left & right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
10524	Steering conversion kit, high angle (includes replacement servo horn, steering blocks, & wheel hubs)
2754	Stub axle pins (4)
10534-GRN	Suspension arms, lower, front, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10534-RED	Suspension arms, lower, front, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-RED	Suspension arms, upper, front, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10535	Suspension arm, front (lower left)
10534	Suspension arm, front (lower right)
10533	Suspension arm, front, upper (left or right)
10534-BLUE	Suspension arms, lower, front, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10534-GRAY	Suspension arms, lower, front, 6061-T6 aluminum (gray-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10534-ORNG	Suspension arms, lower, front, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-BLUE	Suspension arms, upper, front, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-GRAY	Suspension arms, upper, front, 6061-T6 aluminum (gray-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-GRN	Suspension arms, upper, front, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-ORNG	Suspension arms, upper, front, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
8340	Suspension pin set, complete (front & rear)
10542	Toe links, steel (36mm) (2)

Hardware

4859	CS 3x10 flathead (hex drive)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
10556	Wheel hubs, hex, wide (disc brake rotors) (4)

LED Lights

10590-BLUE	LED light set, blue, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)
10590-GRN	LED light set, green, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)
10590-RED	LED light set, red, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)
10590-WHT	LED light set, white, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)

Motors & Electronics

3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
2072A	Gear set (for 2070, 2075 servos)
10530	Motor, Titan® Drift 550, (21-turns/ 14 volts) (1)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2827X	3000mah 7.4v 2-Cell LiPo Battery
2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2960X	5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell
2844R	5200mAh 7.4v 2-cell 35C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2970-2SR	Battery/Charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))
2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas® Link Bluetooth® module
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)

6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6529A	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (with brake button) (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module

Ready-To-Race Model

105237-4	4-Tec® Drift Ford® Mustang®: 1/10 Scale RWD Drift Car with TQi™ Radio System, Traxxas Link™ Wireless Module, & Traxxas Stability Management (TSM)®
----------	--

Rear Suspension

8329	Bulkhead, rear
8348	Camber links, steel, rear (28mm) (2)
8352	Carriers, stub axle (left & right)
8352X-BLUE	Carriers, stub axle, 6061-T6 aluminum (blue-anodized), (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-GRAY	Carriers, stub axle, 6061-T6 aluminum (gray-anodized), left & right/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-GRN	Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-ORNG	Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-RED	Carriers, stub axle, 6061-T6 aluminum (red-anodized), (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8380	Housing, differential (rear)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
10538	Shock tower, front & rear
10539-BLUE	Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-GRAY	Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-GRN	Shock tower, rear, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-ORNG	Shock tower, rear, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-RED	Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8331	Suspension arms, rear (left & right)
8340	Suspension pin set, complete (front & rear)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2658	Big-bore shocks (short) (hard-anodized & PTFE-coated T-6 aluminum)(assembled with TiN shafts) with springs (f/r) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
4262	Shock shaft, hard chrome (32mm) (rear) (2)
4261T	Shock shaft, hardend steel, Titanium Nitride coated (29mm) (front) (2)
4262T	Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
2362	Shock rebuild kit (for 2 shocks)
8360	Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)

Springs

10560	Spring, shock (1.057 rate) (2)
8362X	Spring, shock (blue) (2)
8362G	Spring, shock (green) (2)
8362P	Spring, shock (pink) (2)
8366	Spring, shock (red) (2.8 rate, white stripe) (2)
8365	Spring, shock (red) (3.325 rate, orange stripe) (2)
8362	Spring, shock (red) (3.7 rate) (2)
8363	Spring, shock (red) (4.075 rate, green stripe) (2)
8364	Spring, shock (red) (4.4 rate, black stripe) (2)

Spur Gears & Pinion Gears

2728	Ball bearings (5x8x2.5mm) (2)
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2424	Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
8359	Spur gear, 62-tooth
8357	Spur gear, 70-tooth
8368	Spur gear, 72 tooth (48 pitch)

Steering Components

10543-BLUE	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543-GRAY	Steering bellcranks, drag link (gray-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543-GRN	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543-ORNG	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543-RED	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10543	Steering bellcranks/ hardware
10542	Toe links, steel (36mm) (2)

Suspension Linkage

8348	Camber links, steel, rear (28mm) (2)
10534-GRN	Suspension arms, lower, front, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10534-RED	Suspension arms, lower, front, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)

10533-RED	Suspension arms, upper, front, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10535	Suspension arm, front (lower left)
10534	Suspension arm, front (lower right)
10533	Suspension arm, front, upper (left or right)
10534-BLUE	Suspension arms, lower, front, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10534-GRAY	Suspension arms, lower, front, 6061-T6 aluminum (gray-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10534-ORNG	Suspension arms, lower, front, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-BLUE	Suspension arms, upper, front, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-GRAY	Suspension arms, upper, front, 6061-T6 aluminum (gray-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-GRN	Suspension arms, upper, front, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10533-ORNG	Suspension arms, upper, front, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
10542	Toe links, steel (36mm) (2)

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

10574	Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (1 dot, hard, rough surfaces)) (front) (2)
10575	Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (1 dot, hard, rough surfaces)) (wide, rear) (2)
10577	Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (2 dots, soft, smooth surfaces)) (front) (2)
10576	Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (2 dots, soft, smooth surfaces)) (wide, rear) (2)
8378	Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Drift tires) (front and rear)
8376G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front)
8377G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear)
8376A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front)
8377A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)
10573	Tires, 1.9" Drift (1 dot, hard, rough surfaces) (rear) (2)/ rubber inserts (2)
10570	Tires, 1.9" Drift (1 dot, hard, rough surfaces)) (front) (2)/ rubber inserts (2)
10578	Tires, 1.9" Drift (2 dots, soft, smooth surfaces)) (front) (2)/ rubber inserts (2)
10580	Tires, 1.9" Drift (2 dots, soft, smooth surfaces)) (rear) (2)/ rubber inserts (2)
10571	Wheels, 1.9" six spoke (graphite gray w/chrome rim) (front) (2)
10572	Wheels, 1.9" six spoke (graphite gray w/chrome rim) (wide, rear) (2)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM